

Nickel Carbonate

SECTION 1. IDENTIFICATION

Product Identifier Nickel Carbonate

Other Means of

None

Identification

Product Code(s) NI1110

Product Family Inorganic Solid

Recommended Use Laboratory and industrial use.

Restrictions on Use None known.

Supplier Identifier Alphachem Limited, 2485 Milltower Court, Mississauga, Ontario, L5N 5Z6, (905) 821-2995

Emergency Phone No. CANUTEC CANADA, 613-996-6666, 24 Hours

SDS No. 0833

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015) and the US Hazard Communication Standard (HCS 2012).

Classification

Acute toxicity (Oral) - Category 4; Acute toxicity (Inhalation) - Category 4; Skin irritation - Category 2; Respiratory sensitization - Category 1; Skin sensitization - Category 1; Germ cell mutagenicity - Category 1B; Carcinogenicity - Category 1A; Reproductive toxicity - Category 1B; Specific target organ toxicity (repeated exposure) - Category 1

Label Elements





Signal Word: Danger

Hazard Statement(s):

Harmful if swallowed.

Harmful if inhaled.

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause genetic defects.

May damage fertility or the unborn child.

May cause cancer if inhaled.

Causes damage to organs through prolonged or repeated exposure.

Precautionary Statement(s):

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Product Identifier: Nickel Carbonate

Date of Preparation: December 13, 2016

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection (NIOSH approved air-purifying respirator with an appropriate cartridge).

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of water/

If skin irritation or rash occurs: Get medical advice/attention.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Storage:

Store locked up.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers
BASIC NICKEL(II) CARBONATE	12607-70-4	86 - 89	Nickel Hydroxide Carbonate
Water	7732-18-5	11 - 14	Dihydrogen Oxide

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor.

Skin Contact

Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. If skin irritation or a rash occurs, get medical advice or attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If eye irritation persists, get medical advice or attention.

Ingestion

Rinse mouth with water. Do not induce vomiting. Immediately call a Poison Centre or doctor.

First-aid Comments

Some of the first-aid procedures recommended here require advanced first-aid training. If exposed or concerned, get medical advice or attention.

Most Important Symptoms and Effects, Acute and Delayed

If inhaled: may cause cancer.

Immediate Medical Attention and Special Treatment

Special Instructions

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Product Identifier: Nickel Carbonate

Date of Preparation: December 13, 2016 Page 02 of 06

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire. Use water to keep non-leaking, fire-exposed containers cool. Large fire: Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

Do not use a solid (straight) water stream as it may scatter and spread fire.

Specific Hazards Arising from the Product

Heating increases the release of toxic vapour.

In a fire, the following hazardous materials may be generated: Nickel oxides.

Special Protective Equipment and Precautions for Fire-fighters

Approach fire from upwind to avoid hazardous vapours or gases. Fight fire from a safe distance or a protected location. Knock down vapours or gases with water fog or fine water spray. For a massive fire, immediately evacuate the area and use unmanned hose holder or monitor nozzles.

Chemical protective clothing (e.g. chemical splash suit) and positive pressure SCBA may be necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Remove or isolate incompatible materials as well as other hazardous materials.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

Methods and Materials for Containment and Cleaning Up

Use water fog or spray curtain to reduce amount of dust in air. Collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Wear personal protective equipment to avoid direct contact with this chemical. Do not breathe in this product. Avoid generating dusts. Only use where there is adequate ventilation. Prevent accidental contact with incompatible chemicals. Keep containers tightly closed when not in use or empty. Wash hands thoroughly after handling this material.

Conditions for Safe Storage

Store in an area that is: cool, dry, well-ventilated, separate from incompatible materials (see Section 10: Stability and Reactivity). Protect from conditions listed in Conditions to Avoid in Section 10 (Stability and Reactivity). Store in a closed container.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
BASIC NICKEL(II) CARBONATE	0.1 mg/m3		1 mg/m3			
Water	Not established		Not established			

Appropriate Engineering Controls

Use local exhaust ventilation and enclosure, if necessary, to control amount in the air.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Product Identifier: Nickel Carbonate

Date of Preparation: December 13, 2016

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Wear a NIOSH approved air-purifying respirator with an appropriate cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Light green powder.

Odour Odourless
Odour Threshold Not available
pH Not available

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/RangeNot availableFlash PointNot applicableEvaporation RateNot applicableFlammability (solid, gas)Not available

Upper/Lower Flammability or

Explosive Limit

Not available (upper); Not available (lower)

Vapour Pressure Not applicable
Vapour Density (air = 1) Not available

Relative Density (water = 1) 0.5

Solubility Not available in water; Not available (in other liquids)

Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity Not available (kinematic); Not available (dynamic)

Other Information

Physical State Solid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

None known.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

Generation of dust. Incompatible materials.

Incompatible Materials

Strong acids (e.g. hydrochloric acid).

Hazardous Decomposition Products

Nickel oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Product Identifier: Nickel Carbonate

Date of Preparation: December 13, 2016 Page 04 of 06

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
BASIC NICKEL(II) CARBONATE	Not available	840 mg/kg (rat)	Not available
Water	Not available	> 89840 mg/kg (rat)	Not available

Skin Corrosion/Irritation

There is limited evidence of moderate or severe irritation.

Serious Eye Damage/Irritation

May cause eye irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause severe nose and throat irritation.

Ingestion

May be harmful.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause irritation of the respiratory system. May cause respiratory tract injury.

Respiratory and/or Skin Sensitization

Respiratory sensitizer. Skin sensitizer.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
BASIC NICKEL(II) CARBONATE	Group 1	A1	Known carcinogen	
Water	Not Listed	Not Listed	Not Listed	Not Listed

Key to Abbreviations

Group 1 = Carcinogenic to humans. A1 = Confirmed human carcinogen.

Reproductive Toxicity

Development of Offspring

May harm the unborn child.

Sexual Function and Fertility

May cause effects on sexual function and/or fertility.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

May be mutagenic based on limited evidence.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS. This section is not required by OSHA HCS 2012.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Product Identifier: Nickel Carbonate

Date of Preparation: December 13, 2016 Page 05 of 06

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
IMO (Marine)	UN3077	Environmentally hazardous substances, solid, n.o.s. (NICKEL CARBONATE)	9	III
IATA (Air)	UN3077	Environmentally hazardous substances, solid, n.o.s. (NICKEL CARBONATE)	9	III
US DOT	UN3077	Environmentally hazardous substances, solid, n.o.s. (NICKEL CARBONATE)	9	III
Canadian TDG	UN3077	Environmentally hazardous substances, solid, n.o.s. (NICKEL CARBONATE)	9	III

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Listed on the DSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

Listed on the TSCA Inventory.

SECTION 16. OTHER INFORMATION

SDS Prepared ByAlphachem LimitedPhone No.(905)-821-2995Date of PreparationDecember 13, 2016Date of Last RevisionDecember 13, 2016

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

Disclaimer This document is offered only as a guide in the safe handling of the above product, and has

been prepared from the best information currently available. It is not intended to be all-inclusive and the conditions of use may involve other additional considerations. Since Alphachem Limited cannot anticipate or control the conditions under which the product may be used, it will not be liable for any claims, damages or losses which may result from the use or

reliance on any information herein.

Product Identifier: Nickel Carbonate

Date of Preparation: December 13, 2016

reparation: December 13, 2016 Page 06 of 06